

**DOCKET NO.: ALLE004-100  
(17614)**

**PATENT**

**Listing of Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (currently amended) A method of treating a botulinum toxin intoxication in a mammal, said method comprising administering to a mammal a glycosylated inactive botulinum toxin ~~an effective amount of at least one rescue agent.~~
- 2-4. (canceled)
5. (currently amended) The method of claim 1 ~~[[2]]~~ wherein the glycosylated inactive botulinum toxin comprises a light chain having the amino acid sequence set forth in SEQ ID NO:4.
6. (currently amended) The method of claim 1 ~~[[2]]~~ wherein the glycosylated inactive botulinum toxin has a reduced antigenicity.
7. (currently amended) The method of claim 6 wherein the glycosylated inactive botulinum toxin has a mutated Hc region.
8. (canceled)
9. (currently amended) The method of claim 1 ~~[[8]]~~ wherein the glycosylated inactive botulinum toxin is glycosylated chemically.
10. (currently amended) The method of claim 1 ~~[[8]]~~ wherein the glycosylated inactive botulinum toxin is glycosylated by expression of the inactive botulinum toxin in a eukaryotic expression system.

**DOCKET NO.: ALLE004-100  
(17614)**

**PATENT**

11. (original) The method of claim 10 wherein the eukaryotic expression system is a baculovirus expression system.

12-17. (canceled)

18. (original) The method of claim 1 wherein the rescue agent is administered orally.

19. (original) The method of claim 1 wherein the rescue agent is administered intravenously.

20. (original) The method of claim 1 wherein the rescue agent is administered locally.

21. (original) The method of claim 1 wherein the rescue agent is administered after the mammal has become intoxicated with a botulinum toxin.

22-72. (canceled)

73. (new) A method of treating a botulinum toxin intoxication in a mammal, said method comprising administering to a mammal a glycosylated inactive botulinum toxin after the mammal has become intoxicated with a botulinum toxin, wherein the glycosylated inactive botulinum toxin comprises a light chain having a mutated zinc motif.

**DOCKET NO.: ALLE004-100  
(17614)**

**PATENT**

74. (new) A method of treating a botulinum toxin intoxication in a mammal, said method comprising administering to a mammal a glycosylated inactive botulinum toxin after the mammal has become intoxicated with a botulinum toxin, wherein the glycosylated inactive botulinum toxin comprises a light chain having the amino acid sequence set forth in SEQ ID NO:4.